

In the Claims:

Sub B
A

Claim 1 (amended). A housing-shaped shielding plate for shielding an electrical component, including a radio-frequency, optoelectronic transceiver, the housing-shaped shielding plate comprising:

A

a shielding plate body having a first region to be disposed inside a metallic structure, said first region having a plurality of wall sections, and a second region to be inserted through a cutout of the metallic structure, at least one of said plurality of wall sections of said first region of said shielding plate body having at least one elongated opening formed therein through which electromagnetic waves produced within said shielding plate body are coupled out of said shielding plate body.

Claim 2 (amended). The shielding plate according to claim 1, wherein said at least one elongated opening is an elongated slot.

Claim 3 (amended). The shielding plate according to claim 2, wherein said elongated slot has a length of $\lambda/2$ of the electromagnetic waves emitted.

Claim 4 (amended). The shielding plate according to claim 2, wherein said elongated slot runs in a longitudinal direction of said shielding plate body.

Claim 5 (amended). The shielding plate according to claim 2, wherein said elongated slot runs one of transversely and at an angle in relation to a longitudinal direction of said shielding plate body.

AK
could

Claim 6 (amended). The shielding plate according to claim 5, wherein said plurality of wall sections includes side wall sections and said elongated slot extends between opposite edges of one of said side wall sections.

Claim 7 (amended). The shielding plate according to claim 2, wherein said elongated slot is a plurality of elongated slots, and said slots have different lengths formed in said shielding plate body.

Add the Following New Claims:

A2

Claim 10 (new). The shielding plate according to claim 1, wherein said at least one of said plurality of wall sections is a side wall.

Claim 11 (new). The shielding plate according to claim 1, wherein said at least one of said plurality of wall sections is a rear wall.

*A2
concluded*

Claim 12 (new). The shielding plate according to claim 1, wherein said at least one of said plurality of wall sections is an upper wall.

Claim 13 (new). The shielding plate according to claim 1, wherein said shielding plate body emits electromagnetic waves being coupled out of said shielding plate body and radiated into the interior of the metal structure.
